
Page 1 of 3

Patient chart 53047155

(mre blagk 2018.10.25 12:07:23



https://www.emscharts.com/pr/summary_full.cfm?prid=53047155

10/24/2018

1

Patient chart 53047155

Page 2 of 3

Chief	Complaint (Category: Hemorr	hage/Laceration)	
Duration: 10 Minu Anatomic Location: Head ALS Assessment: Not Red			
	History of Present Il	lness	A RANNEL AND AN ADDRESS OF A DATE OF A D
nose. Ithaca PD on scene a preathing. 950 responded if find a 62 year old female behind her back, accompani priented to person, place, airway, as evidenced by he preathing non-labored on r presented with good cardic Patient presented with obv assessment. Patient was an stretcher by law enforceme Ongoing BLS Assessment: If punched patient in the nos assessment, but reported p of hyperventilation. Patie breathes. Vital signs were given to facility during to moved to hospital bed via	ND N by TC 911 for a 40 year divised 950 to upgrade respondent mediately without use of 1 lying prone on floor of res ed by Ithaca PD. Initial Bi and time. Patient present of a bility to speak in complete room air, with brief spells by ascular function, as evide rious bleeding from the nose of the sit and move to stand and time the secured to PD 126 advised EMS that path and the area of her nose and the area of her nose and the secure the stand attempted. Patient was move 4-person blanket lift. Card	onse due to onse lights and siren staurant with he LS Assessment: P ed with a patent lete sentences. of hyperventila enced by brisk of e, though not ac ding position, a stretcher with ient was combati ent was uncooper hing, stating th ansported BLS to d to room 10 via e transferred to	et of difficulty as, and arrived to ar hands restrained atient was alert and and self-maintained Patient was tion. Patient apillary refill. etive at time of and was escorted to safety belts. ye, and that 126 cative with EMS cienced brief spells hat was just how she b CMC, with report a stretcher, and b RN Rebecca
Cunningham following a bri	ief verbal report. 950 retu:	rned in service.	
Medical History Unknown Obtained From: Patient Emergency Info Form: No	Current Medication None - Reported By Pati		Allergies
integener interesting no	Neurological Exam		
pl Mental Present: Or Or	tient was alert and oriente ace, and time. iented-Person, Oriented-Pla iented-Time	No d to person, ace,	Glasgow Coma Scale E V M Tot Int: 4 5 6 = 15 Qual: Legitimate values w/o interventions such as intubation and sedation
assistar	ent did not complain of sen		
Airway		Respira	tory
airway, as	Comments		reathing non-labored with brief spells of ion.
	Cardiovascular		
JVD: Not Appreciated	Cap. Refill: Brisk		

https://www.emscharts.com/pr/summary_full.cfm?prid=53047155

10/24/2018

Patient chart 53047155

Page 3 of 3

				ardiovascular				
ments:	Patient	presenter		cardiovascular	function	as evide	enced by	brisk
apillary	refill.	Patient 1	presented with	th obvious ble	eding from	the nos	se, which	had
			f EMS on scen					
			Ir	jury Details	5 E			
	and a descent in a second second		Reas	on for Encoun	ter: Injury	/Trauma		
				Center Crite			ble	
		DET		dicators Pres				
			3,	Intentio				
			1	Work Rela				
			1		use: Fight,	Brawl.	Rape	
			1	Contraction of the local division of the loc	ism: Assaul	Statement of the local division of the local	THE PE	
					ant: Not Ap	and the second s	0	
			Piel	Factors Pres				
			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	C EQCUITO ETES	dite. not ny	pricuor		
			Initial	Physical Fin	dings			
sessmen	+							
				warm, pink, a	nd dry ski	n.		
ace: Ble	eding Co	ntrolled	Pain, Tende	erness				
						landing	from the	
ace Find	ungs: Pa	cient pre	esented with	pain, tendern	less, and b	recaing	TIOM THE	nose.
And the Contraction of the Contr	4							
	1.		Impre	ssion / Diagno	osis			
ymptoms:	Bleedin	pr						
mpressio		ting /Home	rrhage					
	n: preec							
nitial P		-		Green)				
nitial P		-	ower Acuity (	Green)				
nitial P		-		~				
~	atient Ac	cuity: Lo	ower Acuity (	Activity		L ECG M	athod   Pr	tel [CRW*
Time H.R. H.R	B.P. R	A SaO2	Resp	~	GCS	ECG M	ethod Pr	tcl CRW*
Time H.R H.R Metho	B.P. R Method	A SaO2	ower Acuity (	Activity	GCS	ECG M GCS Qual	ethod Pr	tcl CRW*
Time H.R H.R	B.P. R Method	A SaO2	Resp	Activity	GCS 4/5/6	GCS Qual		tcl [CRW*
Time H.R H.R Metho Ction Comme	B.P. R Method	A SaO2	Resp Resp Effort	Activity	4/5/6 Legiti	GCS Qual	Rout	
Time H.R H.R Metho Ction Comme	B.P. R Method	A SaO2	Resp Resp Resp Effort	Activity	4/5/6 Legiti interv	GCS Qual	Rout as w/o uch as	
Time H.R H.R Moth Ction Comme	B.P. R d Hethod	A SaO2	Resp Resp Effort 18 Normal	Activity Rhythm	4/5/6 Legiti interv in	GCS Qual mate value mations s tubation s sedation	Rout as w/o uch as nd	tine #1
Time H.R H.R Metho Ction Comme R20	B.P. R d Hethod	A Sa02	Resp Resp Effort 18 Normal	Activity	4/5/6 Legiti interv in	GCS Qual mate value mations s tubation s sedation	Rout as w/o uch as nd	tine #1
Time H.R. H.R. Meth. Ction Comme 4:20 Vital and u	B.P. R Hethod	A Sa02	Resp Resp Effort 18 Normal	Activity Rhythm	4/5/6 Legiti interv in	GCS Qual mate value mations s tubation s sedation	Rout as w/o uch as nd	tine #1
Time H.R H.R Meth Ction Comme 4:20 Vital and u	B.P. R d Method ont signs were incooperativ	A Sa02 A Sa02 a assessed. ye. by	Resp Resp Effort 18 Normal Unable to asses	Activity Rhythm	4/5/6 Legiti interv in and pulse due	GCS Qual mate value ventions su tubation s sedation to patien	Rour as w/o uch as nd t being res	tine #1
Time H.R H.R Meth Ction Comme 4:20 Vital and u Assessme	B.P. R d Method nnt signs were incooperativ	A Sa02 A Sa02 A assessed. ye. by Glasgov	Resp Resp Effort 18 Normal Unable to asses	Activity Rhythm s blood pressure le - 4-5-6	4/5/6 Legiti inter in and pulse due - Opens	GCS Qual mate value entions st tubation s sedation to patien eyes	Rout as w/o sch as nd t being res sponta:	tine #1
Time H.R H.R Meth Ction Comme 4:20 Vital and u Assessme	B.P. R d Method nnt signs were incooperativ	A Sa02 A Sa02 B assessed. ye. by Glasgov	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses	Activity Rhythm s blood pressure le - 4-5-6 s normally	4/5/6 Legiti interv in and pulse due - Opens - Obeys	GCS Qual mate value entions st tubation s sedation to patien eyes	Rout as w/o sch as nd t being res sponta:	tine #1
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperative ent made L 1al " - - Ori	A Sa02 A Sa02 B assessed. ye. by Glasgov	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses	Activity Rhythm s blood pressure le - 4-5-6	4/5/6 Legiti interv in and pulse due - Opens - Obeys	GCS Qual mate value entions st tubation s sedation to patien eyes	Rour as w/o sch as nd t being res sponta: nds -	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperativent made L 1al" - 0 Ori 2:37 @	a assessed re. by Glasgov iented,	Resp Resp Effort 18 Normal Unable to assess & Coma Sca converses WITHOU	Activity Rhythm s blood pressure le - 4-5-6 s normally	4/5/6 Legiti interv in and pulse due - Opens - Obeys	GCS Qual mate value entions st tubation s sedation to patien eyes	Rour as w/o sch as nd t being res sponta:	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperativent made L 1al" - 0 Ori 2:37 @	a assessed re. by Glasgov iented,	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses	Activity Rhythm s blood pressure le - 4-5-6 s normally	4/5/6 Legiti interv in and pulse due - Opens - Obeys	GCS Qual mate value entions st tubation s sedation to patien eyes	Rour as w/o sch as nd t being res sponta: nds -	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperativent made L 1al" - 0 Ori 2:37 @	a assessed re. by Glasgov iented,	Resp Resp Effort 18 Normal Unable to assess & Coma Sca converses WITHOU	Activity Rhythm s blood pressure le - 4-5-6 s normally	4/5/6 Legiti interv in and pulse due - Opens - Obeys	GCS Qual mate value entions st tubation s sedation to patien eyes	Rour as w/o sch as nd t being res sponta: nds -	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperative ent made b 1al" - - Ori 2:37 @ ^ Ele	A Sa02 A Sa02 A Sa02 Clasgov Lented, ements C	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU	Activity Rhythm s blood pressure le - 4-5-6 s normally	4/5/6 Legiti interv in and pulse due - Opens - Obeys	GCS Qual mate value entions st tubation s sedation to patien eyes	Rour as w/o sch as nd t being res sponta: nds -	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperative ent made b 1al" - - Ori 2:37 @ ^ Ele	A Sa02 A Sa02 B assessed by Glasgov Lented, ements C w Coma Scale	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU of the scale	Activity Rhythm s blood pressure le - 4-5-6 s normally F INTERVENT	4/5/6 Legiti interv in and pulse due - Opens - Obeys TIONS	GCS Qual mate value entions si sedation to patien eyes comman	Rour as w/o sch as ind t being res spontar inds - * & all 10	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperative ent made b 1al" - - Ori 2:37 @ ^ Ele	A Sa02 A Sa02 A Sa02 Clasgov Lented, ements C	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU	Activity Rhythm s blood pressure le - 4-5-6 s normally	4/5/6 Legiti interv in and pulse due - Opens - Obeys	GCS Qual mate value entions st tubation s sedation to patien eyes	Rour as w/o sch as nd t being res sponta: nds -	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperativent made i 1al" - - Ori 2:37 Glasgov	A Sa02 A Sa02 B assessed by Glasgov Lented, ements C w Coma Scale	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU of the scale	Activity Rhythm s blood pressure le - 4-5-6 s normally F INTERVENT	4/5/6 Legiti interv in and pulse due - Opens - Obeys TIONS	GCS Qual mate value entions si sedation to patien eyes comman	Rour as w/o uch as ind t being res spontar inds - * & all 10 0	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperative ent made b 1al" - - Ori 2:37 @ ^ Ele	A Sa02 A Sa02 A Sa02 By Glasgov iented, cements C w Coma Scale 1 Does not	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU Of the scale e [3] 2 Opens eyes in	Activity Rhythm s blood pressure le - 4-5-6 s normally F INTERVENT 3 Opens eyes in	4/5/6 Legiti interv in and pulse due - Opens - Obeys CIONS 4 Opens eyes	GCS Qual mate value entions si sedation to patien eyes comman	Rour as w/o sch as ind t being res spontar inds - * & all 10	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were incooperativent made i 1al" - - Ori 2:37 Glasgov	A Sa02 A Sa02 By Glasgov iented, ements C w Coma Scale	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU Of the scale e ^[3] 2	Activity Rhythm s blood pressure le - 4-5-6 s normally F INTERVENT	4/5/6 Legiti intervin and pulse due - Opens - Obeys TIONS	GCS Qual mate value entions si sedation to patien eyes comman	Rour as w/o uch as ind t being res spontar inds - * & all 10 0	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were signs were incooperative ent made i 1a1" - - Ori 2:37 & A Ele Glasgov Eye	A SaO2 A	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU Of the scale e ^[3] 2 Opens eyes in response to pain	Activity Rhythm s blood pressure le - 4-5-6 s normally F INTERVENT 3 Opens eyes in response to voice	4/5/6 Legiti intervin and pulse due - Opens - Obeys CIONS CIONS	GCS Qual mate value entions si sedation to patien eyes commat	Rour as w/o sch as ind t being res spontar inds - * & all 10 6 N/A	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u Assessme	signs were incooperativent made i 1al" - - Ori 2:37 Glasgov	A Sa02 A	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU Of the scale e [3] 2 Opens eyes in	Activity Rhythm s blood pressure le - 4-5-6 s normally F INTERVENT 3 Opens eyes in	4/5/6 Legiti intervin and pulse due - Opens - Obeys 'IONS 'IONS 'Opens eyes spontaneously Confused,	GCS Qual mate value entions si sedation to patien eyes comman	Rour as w/o uch as ind t being res spontar inds - * & all 10 0	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were signs were incooperative ent made i 1a1" - - Ori 2:37 & A Ele Glasgov Eye	A Sa02 A	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU Of the scale e ^[3] 2 Opens eyes in response to pain	Activity Rhythm s blood pressure le - 4-5-6 s normally F INTERVENT 3 Opens eyes in response to voice	4/5/6 Legiti intervin and pulse due - Opens - Obeys CIONS CIONS	GCS Qual mate value entions si sedation to patien eyes commat	Rour as w/o sch as ind t being res spontar inds - * & all 10 6 N/A	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were signs were incooperative ent made i 1a1" - - Ori 2:37 & A Ele Glasgov Eye	A Sa02 A	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU Of the scale e [3] 2 Opens eyes in response to pain Makes sounds	Activity Rhythm s blood pressure le - 4-5-6 s normally F INTERVENT 3 Opens eyes in response to voice Words	4/5/6 Legiti intervin and pulse due - Opens - Obeys 'IONS 'IONS 'Opens eyes spontaneously Confused,	GCS Qual mate value entions set tubation sed sedation to patien eyes comman 5 N/A Oriented, converses	Rour as w/o sch as ind t being res spontar inds - * & all 10 6 N/A	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were signs were incooperative ent made i 1a1" - - Ori 2:37 & A Ele Glasgov Eye	A Sa02 A Sa02 Charles assessed by Glasgov iented, cements C w Coma Scale 1 Does not open eyes Makes no sounds	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU Of the scale e [3] 2 Opens eyes in response to pain Makes sounds Extension to	Activity Rhythm s blood pressure le - 4-5-6 s normally f INTERVENT J INTERVENT Opens eyes in response to voice Words Abnormal flexion to	4/5/6 Legiti intervin and pulse due - Opens - Obeys 'IONS 'IONS 'Opens eyes spontaneously Confused,	GCS Qual mate value entions set tubation sed sedation to patien eyes comman 5 N/A Oriented, converses	Rouse as w/o such as ind t being res spontar inds - * @	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	signs were signs were incooperative ent made bind 1a1" - - Ori 2:37 & A Ele Glasgov Eye	A Sa02 A Sa02 Can assessed ye. by Glasgov iented, coments of w Coma Scale 1 Does not open eyes Makes no sounds Makes no	Resp   Resp Effort   18   Normal   Unable to asses   W Coma Sca   converses   WITHOUT   Of the scale   e   [3]   2   Opens eyes in   response to pain   Makes sounds   Extension to   painful stimuli	Activity Rhythm s blood pressure le - 4-5-6 s normally f INTERVENT J Opens eyes in response to voice Words Abnormal flexion to painful stimuli	4/5/6 Legits interv in and pulse due - Opens - Obeys 'IONS 'IONS 'IONS 'Opens eyes spontaneously Confused, disoriented	GCS Qual mate value entions set tubation is sedation to patien eyes comman 5 N/A Oriented, converses normally Localizes	Rous as w/o sch as md t being res spontar nds - * $\phi$ and 10 $\phi$ 6 N/A N/A N/A Obeys	tine 11 strained neousl
Time H.R H.R Meth Ction Comme 4:20 Vital and u	atient Ac	A Sa02 A Sa02 Charles of the second s	Resp Resp Effort 18 Normal Unable to asses W Coma Sca converses WITHOU Of the scale e [3] 2 Opens eyes in response to pain Makes sounds Extension to	Activity Rhythm s blood pressure le - 4-5-6 s normally f INTERVENT J INTERVENT Opens eyes in response to voice Words Abnormal flexion to	4/5/6 Legits interv in and pulse due - Opens - Obeys 'IONS 'IONS 'IONS 'IONS Copens eyes spontaneously Confused, disoriented Flexion /	GCS Qual mate value entions as sedation to patien eyes comman 5 N/A Oriented, converses normally	Rouse as w/o such as ind t being res spontar inds - * @	tine 11 strained neousl

https://www.emscharts.com/pr/summary_full.cfm?prid=53047155

## 10/24/2018